

TABLE 2. Number, incidence rate¹, and median days² away from work for nonfatal occupational injuries and illnesses involving days away from work³ for musculoskeletal disorders⁴ by part of body and ownership, Ohio, 2015

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Total private industry ^{5,6,7}	8,740	23.0	9
Neck, including throat	130	.3	25
Neck, except internal location of diseases or disorders	130	.3	25
Trunk	3,680	9.7	6
Chest, including ribs, internal organs	140	.4	4
Chest, except internal location of diseases or disorders	140	.4	4
Back, including spine, spinal cord	2,880	7.6	5
Back, including spine, spinal cord, unspecified	930	2.4	5
Thoracic region	270	.7	3
Lumbar region	1,520	4.0	5
Multiple back regions	170	.4	8
Abdomen	480	1.3	25
Abdomen, except internal location of diseases or disorders	480	1.3	25
Pelvic region	140	.4	13
Hip(s)	20	.1	66
Groin	120	.3	13
Multiple trunk locations	30	.1	51
Upper extremities	3,100	8.2	12
Shoulder(s), including clavicle(s), scapula(e)	1,680	4.4	12
Arm(s)	360	1.0	13
Arm(s), unspecified	60	.2	13
Upper arm(s)	90	.2	11
Elbow(s)	80	.2	6
Forearm(s)	50	.1	3
Multiple arm locations	70	.2	140
Elbow(s) and arm(s)	70	.2	140
Wrist(s)	300	.8	16
Hand(s)	410	1.1	2
Hand(s), unspecified	330	.9	2
Finger(s), fingernail(s)	70	.2	7
Finger(s), fingernail(s), unspecified	60	.2	7
Multiple upper extremities locations	350	.9	180
Shoulder(s) and arm(s)	320	.8	180
Lower extremities	1,560	4.1	12
Leg(s)	920	2.4	32
Leg(s), unspecified	20	.1	2
Knee(s)	820	2.1	32
Lower leg(s)	70	.2	49
Ankle(s)	560	1.5	2
Foot (feet)	80	.2	7
Foot (feet), unspecified	70	.2	7
Multiple body parts	260	.7	7
Neck and back	70	.2	3
Shoulder(s) and back	40	.1	8
Other multiple body parts	140	.4	10
Multiple body parts, n.e.c.	140	.4	10
Total state government ^{5,6,7}	140	12.8	8
Trunk	70	6.2	5
Back, including spine, spinal cord	60	5.5	5
Lumbar region	50	4.9	5
Upper extremities	60	5.5	179
Shoulder(s), including clavicle(s), scapula(e)	50	4.8	179
Total local government ^{5,6,7}	2,010	50.3	5
Trunk	330	8.2	5
Back, including spine, spinal cord	290	7.3	5
Back, including spine, spinal cord, unspecified	120	3.0	5

See footnotes at end of table.

TABLE 2. Number, incidence rate¹, and median days² away from work for nonfatal occupational injuries and illnesses involving days away from work³ for musculoskeletal disorders⁴ by part of body and ownership, Ohio, 2015 — Continued

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Upper extremities	570	14.3	30
Shoulder(s), including clavicle(s), scapula(e)	400	9.9	57
Wrist(s)	90	2.4	2
Lower extremities	870	21.8	1
Leg(s)	610	15.3	1
Knee(s)	560	13.9	1
Multiple lower extremities locations	230	5.7	10

See footnotes at end of table.

TABLE 2. Number, incidence rate¹, and median days² away from work for nonfatal occupational injuries and illnesses involving days away from work³ for musculoskeletal disorders⁴ by part of body and ownership, Ohio, 2015 —
Continued

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Ankle(s) and leg(s)	230	5.7	10
Ankle(s) and knee(s)	230	5.7	10

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved fewer days than a specified median. Median days away from work are represented in actual values.

³ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

⁴ Musculoskeletal disorders include cases in which the nature of the injury or illness is pinched nerve; herniated disc; meniscus tear; sprains, strains, tears; hernia (traumatic and nontraumatic); pain, swelling, and numbness; carpal or tarsal tunnel syndrome; Raynaud's syndrome or phenomenon; musculoskeletal system and connective tissue diseases and disorders, and when the event or exposure leading to the injury or illness is overexertion and bodily reaction, unspecified; overexertion involving outside sources; repetitive motion involving microtasks; other and multiple exertions or bodily reactions; and rubbed, abraded, or jarred by vibration.

⁵ Excludes farms with fewer than 11 employees.

⁶ Data for Mining (Sector 21 in the North American Industry Classification System United States, 2012) include establishments not governed by the Mine Safety and Health Administration rules and reporting, such as those in Oil and Gas Extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore, estimates for these industries are not comparable to estimates in other industries.

⁷ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.